

## Flexible, high performance, top-exit printing

Safer. Cleaner. Printers.



### Self-protective housing and disinfectant ready

The CT-E601 was not only designed to withstand the harsh chemicals of disinfection products but to stop bacteria in it's tracks too. The technology within the casing and the printer itself has an SIAA mark fulfilling ISO 22196 which further reinforces that it is engineered to deliver effective results against bacteria growth and are designed to the highest industry standards.

### More media sensors and functions

Paper jam? No problem for the CT-E601. With a built-in paper jam sensor and paper near end sensor you can always be assured about the status of your printer.

### Fast print speeds

Printing up to 350m per second, it's one of our fastest POS printers in our range.

## CT-E601

POS, Receipt printer (thermal 3 inch / 80mm)

### Applications

- Hospitality
- Retail
- Healthcare
- Journal
- Kiosk
- Kitchen
- Pharmacy
- Queue Management



More features for reliable printing

TOMORROW'S PRINTING TODAY

# CITIZEN

## Specifications

Model	CT-E601
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	350 mm/sec
Print Width (maximum)	72 mm
Media Width (min to max)	57.5 - 79.5 (+/- 0.5 mm)
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	53 to 85 µm
Media Sensor	Paper end
Main Interface	USB 2.0 full speed
Optional interfaces	Ethernet, USB with hub, Ethernet + USB host, Serial (RS-232C compliant), Compact Wireless LAN, Bluetooth with Apple™ MFi compatibility, Premium Wireless LAN
Power supply	100 - 240V, 50/60hz
Reliability	200 Million pulses or 150 Km, 2 million cuts
Control panel	2 buttons, 5 LEDs
Emulations (Languages)	ESC/POS™
Flash (Non-Volatile Memory)	8MB
Size (W x D x H) and Weight	108 x 125 x 165 mm, 1.3Kg
Cutter	Guillotine type, full and partial

## CT-E601

**POS, Receipt printer (thermal 3 inch / 80mm)**

### Features & Benefits

- Paper exit: Top exit - ideal for all retail applications
- Paper load: Quick and easy media changing - drop-in paper loading
- Mobile-POS ready
- Easy notification - built-in buzzer
- Small footprint
- Print, Sleep and Standby modes
- Tool-free maintenance



Top of the class

# CITIZEN

CT-E601

**POS, Receipt printer (thermal 3 inch / 80mm)**

<b>Model</b>	<b>CT-E601</b>
<b>EMC and safety standards</b>	VCCI, UL, C-UL, FCC class A, CE, CCC

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0